

High-Performance Adhesive Tapes

**DURABLE,
HEAVY-DUTY,
WATER-RESISTANT.**



ADHESIVE TAPES



MVS ACMEI is a notable industrial packaging solutions company offering a variety of packaging industry consumables. Our adhesive tapes are used for securely sealing packages from minimal packaging requirements to heavy packaging lines, ensuring proper sealing during transportation and storage of goods. Made with thermoplastic polymers, these tapes are highly resistant to heat and aerial oxidation and provide pilfer-evident packaging.

Highlights:

- Tear & Water Resistant
- Highly Durable
- Enhance Branding
- High Tensile Strength
- High Performing Adhesive
- Ideal for Machine Applications

Filament Tapes

Filament tapes are designed for heavy-duty industrial applications, offering high strength and tear resistance due to their fiberglass-reinforced backing. Available in various widths, with 2", 3", and 5" being standard, these tapes find wide applications in holding loose parts, transporting objects, packaging, and sealing.



Specifications

Width	1 to 8 Inch
Length	50 to 500 Mtrs
Color	Transparent
Thickness/GSM	140 Microns
With/Without Release Paper	Without Release Paper
Peel Adhesion (Kg/25 mm)	≥2.2
Tensile Strength (Kg/25mm)	≥40
Elongation (%)	8%

Application

- Packing of metal coils
- Reinforcing fabrics/leather (before stitching)

Advantages

- Non-hand tearing in both directions
- Tamper evident packaging possible
- Heavy duty packaging
- Tacky adhesive that's suitable for many substrates
- High tensile strength in both directions
- Waterproof

HDPE Tapes

(with and without liner)

Manufactured from HDPE woven fabric, with and without liner, they are high-performance tapes and find wide applications in the packaging, transportation, and storage industries, especially the steel packaging industry. HDPE tapes are highly suitable for heavy-duty industrial applications, offering high strength and tear resistance.



Specifications

Width	1 to 8 Inch
Length	50 to 500 Mtrs
Color	White, Grey, Red, Blue, Yellow
Thickness/GSM	120 - 180 GSM
With/Without Release Paper	With/Without Release Paper
Peel Adhesion (Kg/25 mm)	≥1.8
Tensile Strength (Kg/25mm)	≥150
Elongation (%)	5%

Applications

- Sealing corrosion-resistant VCI fabrics
- Sealing of HDPE bags in the Courier Industry
- Reinforcing flexible intermediate bulk containers (FIBC)

Advantages

- High-performance, economical packaging tapes
- Available in self-wound and with the release liner
- Non-hand tearing in both directions
- Available in yellow, blue, black, and white and customization in branding
- Spot reinforcement possible
- Excellent water resistance

BOPP Tapes

At MVS, BOPP tapes are manufactured using the finest quality polypropylene and thoroughly tested for quality, adhesion, and durability. Its acrylic-based adhesive and different coating thicknesses prove an economical packaging solution. BOPP tapes are known for their versatility, strength, and resistance to extreme temperatures, making them ideal for a wide range of packaging applications.



Specifications

Width	1 to 8 Inch
Length	65 to 650 Mtrs
Color	Transparent & Brown
Thickness/GSM	38 to 55 Microns
With/Without Release Paper	Without Release Paper
Peel Adhesion (Kg/25 mm)	≥4.3
Tensile Strength (Kg/25mm)	≥7
Elongation (%)	55%

Every packaging line requires adhesion to complete the packaging process, the BOPP tapes are suitable for a wide range of materials like cardboard, paper, wooden board, walls, plastic, linen, and more.

Applications

- Packaging and shipping protection
- Carton sealing
- Wrapping and splicing
- Bundling and strapping
- Label protection

Advantages

- Higher adhesion
- Higher tensile strength
- Assured length and thickness
- High-quality printing on tapes to enhance branding, available on demand.
- Non-aging adhesive tape
- Withstands all weather conditions
- Ideal for machine applications



Factory Address

Plot No. G28 & G29, General Park IP,
Sultanpur Medical Devices Park,
Telangana 502 319

Corporate Address

Shantha Jubilee, Jubilee Enclave,
HITEC City, Hyderabad,
Telangana 500 081

Contact

+91 93939 22442

E-mail

info@acmeirm.com

Website

www.mvsips.com

